

TECHNICAL SPECIFICATION

GENERAL DESCRIPTION FOR SEMI LUXURY VESSEL

A vessel suitable to carry 36 persons (including crew & captain) The vessel shall be design to have good natural ventilation in comfort of all passengers. The vessel shall exhibit excellent motions, maneuverability and operate comfortably at an optimum speed in moderate and rough sea condition (Sea Status 3 and 4).

PRINCIPAL PARTICULARS

Quantity	: 1
Hull form	: Mono hull
Hull material	: Fiber Reinforced (to specify the fiberglass resin used and details)
Classification	: Boat builder to specify (Documents to provide with the proposal)
Length Max	: 12.75 meters
Breadth Max	: 3.2 meters
Service Speed	: <u>36 knots</u> or more at <u>medium load</u>
Passenger	: Max. capacity to be specified on the proposal
Sea Keeping and	: Vessel shall exhibit excellent motions and maneuverability in moderate
Maneuvering	and rough sea condition (Sea Status 3 and 4)
Endurance	: <u>5 hrs. minimum</u>

TANK CAPACITIES

Fuel oil capacity	: To specify by the builder or supplier, for a minimum 5 hrs. endurance at optimum speed (Tank size and estimated endurance to be detailed on the proposal).
Water tank	: 180 liters minimum.

ENGINE AND STEERING SYSTEM

- Four stroke Nos 250HP x 3 outboard engines with gear and propeller.
- Engines to have local authorized distributor and service provider.
- Hydraulic Steering system including steering wheel with power assist.
- Electronic engine control system (drive by wire), electrical shift and throttle
- Complete installation of engines with all required accessories.

GENERAL FEATURES

- Hard Top double finishing.
- Hull in complete selected White color gelcoat. (Double finishing reinforced hull).
- Hull number on both sides of freeboard.

- Nonskid flooring on decks.
- Built-in boarding steps.
- Semi-closed (upto rear seat) extended cabin with 4 slidable windows (each side) glass and rest covered with black canvas using zips and bungee loops. Canvas zippers, well stitched and covered with canvas from both sides and rear.
- Flight/bus seating arrangement for passengers (28 pax minimum) with comfortable back rest and reclining.
- Comfortable upholstered cushions for driver (seat cushion thickness 08-inches).

BASIC FEATURES

- Deck cleats, two on forward, two on aft cock pit and two on amid ship (8-12 inch).
- Bow U-bolt clamp.
- Sliding pilot side windows.
- Deck wash with outlet shower fixed on PORT shipside rear entrance flushed to hull (Pipe length 50 Ft).
- Plumbing arrangement with necessary valves and taps for engine flushing
- Boat mirror (For Driver).
- Stainless steel hand railings where required.
- Fuel filling point with markings located on STBD side.
- Fresh water filling point with markings located on the PORT side.
- Fixed SS drain plates for deck draining points.
- Built in water bottle holders near passenger seats.
- D - fender to be fixed with SS bolts and SS nuts.
- Fuel sensors fixing arrangement, fuel sensors from excess from deck.

ELECTRICAL SYSTEM

- Electric horn (SS preferred).
- Electric blower, for aft bilge ventilation.
- Batteries
 - Battery for house current (charging arrangement from engine)
 - Batteries for each engine
- USB charging points in driver console.
- Deck lights.
- Fresh water Pump. (Deck washing, engine flushing and toilet).
- Marine grade music player with Bluetooth and FM radio function.
- Automatic electric bilge pumps in required compartments (Pump Capacity: 2000-3000 gph).

NAVIGATION, COMMUNICATION AND SAFETY EQUIPMENT'S

- **Navigation & communication**
 - GPS with Antenna and Maldives map
 - RC led Search light
 - Compass
 - Marine VHF complete set
- **Safety Equipment's**
 - EPIRB

HELM CONSOLE

- Black top surface for anti-reflection.
- 2 Nos DC USB outlets for phone charging.
- Red ceiling light for helm (LED light)
- If console is closed natural ventilation shall be provided.
- All necessary controls and display arrangements on helm.
 - PORT and STBD engine display
 - Navigation light switch
 - Search light switch
 - Cabin light switch
 - Deck light switch
 - Stern light switch (Engine service light)
 - Water Pump switch
 - Bilge pump switches
 - Blower switch
 - Wiper controls
 - Trim tab gauge and controls
 - Engine throttle
 - Fuel tank level gauge
 - Water tank level gauge

TOILET

- Marine Electric Toilet
- Entrance door with locking mechanism.
- Wash basin with fresh water tap
- Toilet Mirror
- Ventilating blower
- Proper lightings with switches
- Hand shower
- Additional step if necessary

LIFE SAVING EQUIPMENT'S

- 02 x portable fire extinguishers embedded to hull in closed boxes, fixed in easily accessible areas (c-thru doors for boxes)
- 02 x Fire blanket
- Self-Inflatable life jackets (Adults) for maximum capacity
- 04 x self-inflatable life jackets for kids.
- 01 x Life Ring (fixing point to be decided).
- First Aid Kit.

BOAT EQUIPMENT'S

- 01 x Flag set (CB – 5)
- 01 x Torch light (water proof)
- 01 x Boat hooks
- 02 x F-4 Fenders
- 02 x F-5 Fenders
- 01 x 100ft 14mm Rope for berthing (Yacht Rope)
- Snorkel, Mask, Fins (03 sets)

TOOLS

- 01 x Oil extractor pump (engine Oil change)
- 01 x Wrench set (sizes 8-24 mm)
- 01 x Allen key set (7 pcs)
- 01 x Ratchet wrench
- 01 x Socket set (sizes 8-24)
- 01 x Screwdriver set
- 01 x Hammer 1 lb
- 01 x Grease gun (flexible nozzle)
- 01 x Silicon gun
- 01 x Filter removing wrench for oil & fuel
- 01 x Line tester
- 01 x Cable cutter
- 01 x More gripper (medium size)
- 01 x Grease tin
- 01 x Tools Box

TRIALS

- Engine break-in period to be completed with the guidance of engine supplier.
- Vessel shall be tested at different speed, under different sea status. These trial tests to be initiated after engine break-in period.
- All the trials and equipment tests shall be carried out in the presence of an owner and builder appointee.
- All trial data check sheets to be finalized and signed by both the parties.

WARRANTY AND OTHER DOCUMENTATIONS

- **Hull**
 - Minimum 1 year shipbuilder warranty from the date of delivery. All warranty documents issued by the manufacturers for property articles shall be transferred to the owners.
 - Any repair on hull or superstructure that is raised from non-abusive usage, to be attended by shipyard promptly, within a reasonable scope.
 - Builder shall have their own facility for repairing and maintenance of hull.
- **Engines**
 - **1 year** warranty from the date of delivery.
 - Engines shall be procured with full consent of local distributor or service provider in Maldives with all services and warranty issues being obligatory to such parties.
- **Equipment and accessories**
 - **1 year** warranty for all equipment's and machineries installed onboard from the date of delivery.
 - Any defects that are raised from non-abusive usage with in this 1 year, shall be attended by the builder.
 - If unable to fix any of the equipment's or repaired it shall be replaced with in 1 week. However, in case of unavailability of a critical item, the supplier or builder to give a delivery date not exceeding 1 month

DOCUMENTATION AND LABELLING

- **Documentations to provide with the vessel**
 - Hull warranty documents
 - Instruction manuals of equipment's
 - Service manuals
 - Trial Documents