

FIRST FLOOR

ROOM NAME/ NUMBER	ROOM AREAS (SQM)	REQUIRED OPENING AREA (SQM)	DESIGNED OPENING AREA (SQM)	SD1	D1	D2	D3	D4	D5	D6	W1	W2	W3	W4	W5	W6	W7	W8	CD2	FG1	FG2	FG3	FG4	FG5	MV
				3.25	3.50	1.89	1.89	1.67	1.89	1.72	1.28	0.00	0.33	5.81	2.33	3.32	0.88	0.79	0.45	1.38	1.04	1.04	1.04	1.04	mechanical vent
FIRST FLOOR																									
OFFICERS ACCOMMODATION BED ROOM	16.32m ²	1.64m ²	3.9m ²	1							1														
OFFICERS ACCOMMODATION SITTING	12.76m ²	1.28m ²	1.28m ²								1														
OFFICERS ACCOMMODATION TOILET	4.07m ²	0.41m ²	0.66m ²										2												
ACCOMMODATION FOR 20 PAX	80.91m ²	8.09m ²	9.97m ²											1										4	
ARMORY	26.12m ²	2.61m ²	MV																						
LOCKER / REST ROOM	17.56m ²	1.76m ²	2.33m ²												1										
JUVENILE INTERVIEW ROOM	17.59m ²	1.76m ²	2.33m ²												1										
OPS	26.36m ²	2.64m ²	5.81m ²								1														
FORENSIC – B	25.82m ²	2.58m ²	2.76m ²																	2					
FORENSIC – A	41.25m ²	4.13m ²	2.08m ² + MV																		2				mechanical vent
FORENSIC RECEPTION	20.75m ²	2.08m ²	2.08m ²																			2			
INVESTIGATION OFFICERS	65.59m ²	6.56m ²	7.03m ²																			2	4		
WASH AREA--(AT ACCOMMODATION TOILETS AREA)	18.54m ²	1.85m ²	2.33m ²												1										
TOILETS--(AT ACCOMMODATION TOILETS & SHOWER AREA)	10.2m ²	1.02m ²	1.98m ²										6												
SERVICE ROOM	3.94m ²	0.39m ²	0.79m ²													1									
TOILETS--(AT GRID 1/2, AB)	2.38m ²	0.24m ²	0.99m ²										3												
WASH AREA--(AT GRID 1/2, AB)	8.58m ²	0.86m ²	1.38m ² + MV																	1					mechanical vent
WALKWAY	34.67m ²	3.47m ²	7.22m ²								2				2										

SCHEDULE OF VENTILATION

SCALE 1:100

NOTE:
Area stated here in are only for the respective floor.
Not for the whole windows of FG1, FG2, FG3, FG4, FG5