



VENTILATION TABLE				
SPACE	AREA (SQM)	VENTING WINDOW(S) NO.	TOTAL DESIGNED OPEN AREA	VENT %
1ST FLOOR				
BARRAKS	57.61	W01X3+SD1	7.99	13.87
LAUNDRY	16.58	SD2+W01	3.76	22.68
TOILET 1	2.40	V01	0.39	16.25
TOILET 2	2.40	V01	0.39	16.25
TOILET 3	2.40	V01	0.39	16.25
VISITOR ROOM	24.87	SD1+W03	3.32	13.35
TOILET 4	2.99	V01	0.39	13.04
INCHARGE ROOM	23.94	D01	3.57	14.91
TOILET 5	3.54	V01	0.39	11.02

1. CONFIRM ACTUAL MEASUREMENTS ON SITE BEFORE FABRICATION
 2. SUBMIT ACCESSORIES AND SHOP DRAWINGS FOR APPROVAL
 3. FOR DOOR SWING REFER FLOOR PLANES
 4. INSTALL LINTEL BEAM ABOVE DOORS/WINDOWS NOT TOUCHING BEAM BOTTOM
 5. INSTALL SILL BEAM BELOW WINDOWS
 6. ALL DOOR/WINDOWS VIEWED FROM EXTERIOR
- NGL= NATURAL GROUND LEVEL FFL= FINISHED FLOOR LEVEL FG= FIXED GLASS
WD=WOOD CG=CLEAR GLASS LW=LOUVERS RG=REFLECTIVE GLASS

DOOR WINDOW SHCEDULE

SCALE 1:50

VENTILATION TABLE				
SPACE	AREA (SQM)	VENTING WINDOW(S) NO.	TOTAL DESIGNED OPEN AREA	VENT %
GR FLOOR				
RECEPTION	39.80	D1	AIR–CONDITIONED SPACE	
MULTI USE ROOM	25.80	W01X2	AIR–CONDITIONED SPACE	
MALE TOILET	3.09	W01	MECHANICAL VENT	
FEMALE & DISABLE TOILET	4.35	N/A	MECHANICAL VENT	
WORK STATION	24.90	W01	AIR–CONDITIONED SPACE	
STORE ROOM	8.96	N/A	MECHANICAL VENT	
IDENTIFICATION	5.10	N/A	AIR–CONDITIONED SPACE	
INTERVIEW	12.85	N/A	AIR–CONDITIONED SPACE	
MESS ROOM	20.84	N/A	AIR–CONDITIONED SPACE	
KITCHEN	14.09	W01	MECHANICAL VENT	
KITCHEN STORE	9.24	N/A	MECHANICAL VENT	
INVESTIGATION	15.65	W01	AIR–CONDITIONED SPACE	



PROJECT TITLE:
L . FONADHOO POLICE STATION

APPROVED

DESIGN APPROVED BY:

RECOMMENDATION APPROVED

THE DRAWINGS,CONCEPT AND DESIGN CONTAINED AREA THE PROPERTIES OF MALDIVES POLICE SERVICE.USE OF ANY KIND OR COPY OF WHOLE OR PART OF THIS DRAWING CONCEPT OR DESIGN OR USE ON OTHER PROJECTS OR SITES OTHER THAN THAT SPECIFIED ON THIS DRAWINGS IS STRICTLY PROHIBITED

ARCHITECT/DESIGNER	DRAFTED BY
ASSISTANT DIRECTOR AHMED SADHEEM	SUB INSP OF POLICE MOHAMED FALAAH

STRUCTURAL ENGINEER	DRAFTED BY
SUB INSP OF POLICE FAZEEN	SUB INSP OF POLICE MOHAMED FALAAH
CHECKED BY	CHECKED BY
ASSISTANT DIRECTOR AHMED SADHEEM	SUB INSP OF POLICE AHMED NIZAL

ARCHITECTURAL DRAWINGS	
SHEET NO.	DATE: 19 AUG 2021

A—11