Ministry of Finance Ameenee Magu, Male', Republic of Maldives

و سرم مح مر مرفق و می موسم مرم مسلح مرفق مرفع سرم مرفع مرو سرو د مرفق مرفع مرفع مرفع م


CLARIFICATION 3

ه و مرو می شوند 3 مربو مرد می شوند 3

سَرَسْرَعَ مَر No:	TES/2022/G-001		
ۋە ئۇ ئۇ ئۇ Project:	Supply and Delivery of Floating Fish Cage Systems		
ڈیرز Issued Date	13 th April 2022		
	بر ۲۰۰۶ Boq: -00	تغزیر Drawings: -00	

Please include this clarification when submitting the bid

• Please find attached, answers to the queries received.



CLARIFICATION 3

*

#	Document Name	Document Reference	Query	Query Response
1			Understand that On Special Conditions of Call-Off Contract (SCC) point of Term of Payment GCC 26.1: The method of the condition of payment to be made to the supplier under this Call-Off Contract: TT Advance Payment after signing Contract: 10% of the Contract Price LC At Sight on shipment: 80% of the Contract price TT payment On Acceptance: 10% of the Contract price	Advance payment can be made upon the submission of bank guarantee
2			Request to increase the amount of down payment: TT Advance Payment after signing Contract: 30% of the Contract Price LC At Sight on shipment: 60% of the Contract price TT payment On Acceptance: 10% of the Contract price	Advance payment of maximum 15% can be made upon the submission of bank guarantee
3			We highly appreciate it if you could send us the details below as soon as possible. Dimension of the fish cage? What kind of fish to be farmed in the fish cage? The depth of the sea? Wind and waves of the sea condition? Other requirements that are necessary to the quotation.	8 compartments in the cage system. Each compartment's inside measurements 3 m x 3 m x 3 m. Culture species grouper. Cage sight depth 25-35 m. In northeast monsoon the sea is calm. Southwest monsoon the sea is occasionally rough and moderate wave are seen at cage sites.

4	Can alternative design configuration and	As the cage systems are to be used in remote
	cage frames be used?	places and open marine environment of Maldives,
		and they are to achieve specific production targets
		by individual farmers, each system should have the
		following characteristics:
		 Ease of assembly with minimal equipment and simple processes Manual deployment without using heavy mechanical equipment Eight compartments, the sides of each compartment measuring 3-4m Suitable for open coastal areas of the sea Cage sides giving equal or higher buoyancy when compared with the buoyancy produced by an HDPE pipe of outer diameter 355 mm and wall thickness 11 mm
		If you are offering cage systems with the above
		characteristics, and if your offer complies with other terms and conditions of the bid document,
ORY OF FINE		you are encouraged to participate in the bid.