

SCHEDULE OF VENTILATION**AQUATIC QUARANTINE FACILITY**

<i>Room Name / Number</i>	<i>Room Areas (sqm)</i>	<i>Window number</i>	<i>Required opening area (sqm)</i>	<i>Designed opening area (sqm)</i>
AQUATIC QUARANTINE AREA	58.73	RS1 X2, W7X7 + M.V	5.87	14.05
RECEIVING ROOM	6.823	D1, W7 +MV	0.68	1.82
PUMP ROOM	5.119	D3, W7 +MV	0.51	1.71
AIR BLOWER ROOM	2.83	W2 +MV	0.28	0.25
STORE ROOM-1	6.96	W4 +MV	0.70	1.52
STORE ROOM-2	6.96	W5 +MV	0.70	1.83
LABORATORY	7.13	W5 +MV	0.71	1.83
CHANGING ROOM	8.53	W7X2, W2 +MV	0.85	0.75
TOILET	4.41	W2+MV	0.44	0.25
SHOWER	1.77	W2+MV	0.18	0.25
WAITING ROOM	11.8	W4, W5+MV	1.18	3.35
LABORATORY STORE-1	10.67	W4, W7+MV	1.07	1.77
LABORATORY STORE-2	15.43	W4, W5 +MV	1.54	3.35
LABORATORY STORE-3	10.12	W4, W6 +MV	1.01	2.24
LABORATORY STORE-4	6.96	W5 +MV	0.70	1.83
LABORATORY STORE-5	7.13	W5, W4 +MV	0.71	3.35

Building floor plans should indicate:

- 1- Room Name / Number
- 2- Window (opening) Number